



**POWER AND OTHER UTILITY SETUP REQUIREMENTS**

The electrical power requirements provided are intended for general informational purposes only. All motor and electrical information presented is subject to change without notice. For precise and detailed service requirements, including specific motor specifications and operational details, please refer directly to the motor data plate or relevant product documentation.

SKU	MODEL	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX	
	<b>AUTOSTACKER PARKING LIFTS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>	
5175274	A65-OPT1	6K Capacity Parking Lift / STANDARD / STD Console w/PU / 208-240V, 50/60HZ, 1-Phase	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175387	A65-OPT1-110	6K Capacity Parking Lift / STANDARD / STD Console w/PU / 110V, 50/60HZ, 1-Phase	110V, 50/60HZ, 1-Ph.	2	14	N/A	N/A	
5175276	A65-OPT1-G	6K Capacity Parking Lift / STANDARD / STD Console w/PU / Galvanized / 208-240V,	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175277	A65-OPT2 / MPU / STD.	6K Capacity Parking Lift / STANDARD / Fore Control Kit / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175277	A65-OPT2 / MPU / HIGH-SPEED	6K Capacity Parking Lift / STANDARD / Fore Control Kit / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175278	A65-OPT2-G / MPU / STD.	6K Capacity Parking Lift / STANDARD / Fore Control Kit / Galvanized / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175278	A65-OPT2-G / MPU / HIGH-SPEED	6K Capacity Parking Lift / STANDARD / Fore Control Kit / Galvanized / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175279	A65-OPT3 / MPU / STD.	6K Capacity Parking Lift / STANDARD / Aft Control Kit / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175279	A65-OPT3 / MPU / HIGH-SPEED	6K Capacity Parking Lift / STANDARD / Aft Control Kit / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175281	A65-OPT3-G / MPU / STD.	6K Capacity Parking Lift / STANDARD / Aft Control Kit / Galvanized / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175281	A65-OPT3-G / MPU / HIGH-SPEED	6K Capacity Parking Lift / STANDARD / Aft Control Kit / Galvanized / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175282	A6W-OPT1	6K Capacity Parking Lift / WIDE / STD Console w/PU / 208-240V, 50/60HZ, 1-Phase	208-240V, 50/60HZ, 1-Ph.	3	18	N/A	N/A	
5175389	A6W-OPT1-110	6K Capacity Parking Lift / WIDE / STD Console w/PU / 110V, 50/60HZ, 1-Phase	110V, 50/60HZ, 1-Ph.	2	14	N/A	N/A	
5175283	A6W-OPT1-G	6K Capacity Parking Lift / WIDE / STD Console w/PU / Galvanized / 208-240V, 50/60HZ, 1-	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175284	A6W-OPT2 / MPU / STD.	6K Capacity Parking Lift / WIDE / Fore Control Kit / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175284	A6W-OPT2 / MPU / HIGH-SPEED	6K Capacity Parking Lift / WIDE / Fore Control Kit / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175286	A6W-OPT2-G / MPU / STD.	6K Capacity Parking Lift / WIDE / Fore Control Kit / Galvanized / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175286	A6W-OPT2-G / MPU / HIGH-SPEED	6K Capacity Parking Lift / WIDE / Fore Control Kit / Galvanized / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175287	A6W-OPT3 / MPU / STD.	6K Capacity Parking Lift / WIDE / Aft Control Kit / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175287	A6W-OPT3 / MPU / HIGH-SPEED	6K Capacity Parking Lift / WIDE / Aft Control Kit / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5175288	A6W-OPT3-G / MPU / STD.	6K Capacity Parking Lift / WIDE / Aft Control Kit / Galvanized / REQUIRES MPU	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175288	A6W-OPT3-G / MPU / HIGH-SPEED	6K Capacity Parking Lift / WIDE / Aft Control Kit / Galvanized / REQUIRES MPU	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
5105209	MPU / STD.	Master Power Unit / Powers Up to 12 Lifts / SHP, 208-240V, 50/60HZ, 1-Phase (OPT2 AND	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5105210	MPU / HIGH-SPEED	High-Speed MPU / Powers Up to 12 Lifts / 10HP, 208-230/460V, 50/60HZ, 3-Phase (OPT2	208-240/460V 50/60HZ, 3-Ph.	10	21/10	N/A	N/A	
	<b>SKU</b>	<b>BENDPAK 2-POST LIFTS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5175614	20AP	20K Capacity / Clearfloor / Super-Duty	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175608	16AP	15K Capacity / Clearfloor / Super-Duty	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175409	XPR-18CL	18K Capacity / Clearfloor / Standard Arms	208-230V, 50/60HZ, 1-Ph.	2	8	N/A	N/A	
5175408	XPR-15CL	15K Capacity / Clearfloor / Standard Arms	208-230V, 50/60HZ, 1-Ph.	2	8	N/A	N/A	
5175258	XPR-12CL-LTA	12K Capacity / Clearfloor / Long-Reach Triple-Telescoping Arms	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175405	XPR-12CL	12K Capacity / Clearfloor / Triple-Telescoping Arms	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175403	XPR-12FDL	12K Capacity / Floorplate / Direct-Drive / Triple-Telescoping Arms	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175605	12AP-SRT	12K Capacity / Short Rise / Floorplate	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175610	10AP-SRT	10K Capacity / Short Rise / Floorplate	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175304	10AP	10K Cap. / Clearfloor / Standard	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175306	10APX	10K Cap. / Clearfloor / High Rise	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175308	XPR-9TF	9,000 Lb. Capacity / Floorplate / Chain-Over / Wide / SHORTY / Adjustable Width / Screw	208-240V, 50/60HZ, 1-Ph.	4	15	N/A	N/A	
5175992	GP-7	GrandPrix Series 2-Post Lift / 7,000 Lb. Capacity / 150" OA Height / 78" Lifting Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175996	GP-7LC	GrandPrix Series 2-Post Lift / 7,000 Lb. Capacity / 118.5" OA Height / 68" Lifting Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175995	GP-7LCS	GrandPrix Series 2-Post Lift / 7,000 Lb. Capacity / 106.5" OA Height / 58" Lifting Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175615	20AP-192	20K Capacity / Clearfloor / Super-Duty / 192" O.A. Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175609	16AP-192	16K Capacity / Clearfloor / Super-Duty / 192" O.A. Height	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175411	XPR-18CL-192	18K Capacity / Clearfloor / 192" O.A. Height	208-230V, 50/60HZ, 1-Ph.	2	8	N/A	N/A	
5175410	XPR-15CL-192	15K Capacity / Clearfloor / Long-Reach Triple-Telescoping Arms / 192" O.A. Height	208-230V, 50/60HZ, 1-Ph.	2	8	N/A	N/A	
5175259	XPR-12CL-LTA-192	12K Capacity / Clearfloor / 192" O.A. Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175407	XPR-12CL-192	12K Capacity / Clearfloor / Triple-Telescoping Arms / 192" O.A. Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175557	12APX-192	12K Cap. / Clearfloor / Standard / Triple-Telescoping Arms / 192" O.A. Height	208-240V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A	
5175305	10AP-168	10K Cap. / Clearfloor / / Elevated Top Beam / 168" O.A. Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175307	10APX-181	10K Cap. / Clearfloor / High Rise / Elevated Top Beam / 181" O.A. Height	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
	<b>SKU</b>	<b>BENDPAK 4-POST LIFTS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5175178	HDS40X	40,000 Lb. Capacity / Extended	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175176	HDS40	40,000 Lb. Capacity / Standard	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175164	HDS27X	27,000 Lb. Capacity / Extended	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175162	HDS27	27,000 Lb. Capacity / Standard	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175968	HDS18E	18,000 Lb. Capacity / Standard	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175152	HDS014P	14,000 Lb. Capacity / Extended / Open Front	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175173	HDS14X	14,000 Lb. Capacity / Extended / Limo Style	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175170	HDS14	14,000 Lb. Capacity / Extended	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175004	HD14T	14,000 Lb. Capacity Tall Lift / 82" Rise	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175024	HD-95WX	9,000 Lb. Capacity / Super Wide / 82" Rise	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175578	HD-95W-E	9,000 Lb. Capacity / Extra Wide / 248" Overall Width	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175023	HD-95W	9,000 Lb. Capacity / Super Wide	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175607	HD-9EWT	9,000 Lb. Capacity / Extra-Wide / High Lift	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175859	HD-9XL	9,000 Lb. Capacity / Standard Width / Extended Length	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175863	HD-9XW	9,000 Lb. Capacity / Standard Width / High Lift	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175862	HD-9STX	9,000 Lb. Capacity / Narrow Width / High Lift	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175861	HD-9	9,000 Lb. Capacity / Standard Width	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175860	HD-9ST	9,000 Lb. Capacity / Narrow Width	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175516	HD-7PXW	7,000 Lb. Capacity / Super-Tall Rise / Wide	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175120	HD-7W	7,000 Lb. Capacity / High Rise / Wide	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175510	HD-7P	7,000 Lb. Capacity / High Rise / Narrow	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175251	HD-75BXT	7,500 Lb. Capacity / Vehicle & Boat Storage Lift	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/150	
5175315	HD-7500BLX	7,500 Lb. Capacity / Vehicle & Boat Storage Lift / 82" Rise	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/150	
5175320	HD-7500PBX	7,500 Lb. Capacity / Vehicle & Boat Storage Lift / 144" Rise	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/150	
5175254	GP-9F Package	GrandPrix Series 9,000 Lb. 4-Post / Includes Caster Kit, Drip Trays and Aluminum Ramps	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175257	GP-9XLT Package	GrandPrix Series 9,000 Lb. 4-Post / High Rise / Ext. Length / Includes Caster Kit, Drip Trays	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A	
5175969	HDS18EA	18,000 Lb. Capacity / Alignment / Includes Turnplates and Slip Plates	208-230V, 50/60HZ, 1-Ph.	5	19.5	3	30/100	
5175153	HDS014AX	14,000 Lb. Capacity / Alignment / Extended / Open Front / Includes Turnplates and Slip	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/100	
5175172	HDS14LSXE	14,000 Lb. Capacity / Alignment / Limo Extended / Includes Turnplates and Slip Plates	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/125	
5175171	HDS14LSX	14,000 Lb. Capacity / Alignment / Extended / Includes Turnplates and Slip Plates	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/125	
5175820	HD-9AE	9,000 Lb. Capacity / Alignment / Includes Turnplates and Slip Plates	208-240V, 50/60HZ, 1-Ph.	3	11	3	50/150	

SKU	BENDPAK BRIDGE JACKS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175033	RB125000	25,000 Lb. Capacity Rolling Bridge Jack	N/A	N/A	N/A	20	125
S175032	RB180000	18,000 Lb. Capacity Rolling Bridge Jack	N/A	N/A	N/A	20	125
S175031	RB115000	15,000 Lb. Capacity Rolling Bridge Jack	N/A	N/A	N/A	20	125
S175252	RJ9W	9,000 Lb. Capacity Rolling Bridge Jack / Easy-Roll Wheels	N/A	N/A	N/A	20	125
S175249	RJ7W	7,000 Lb. Capacity Rolling Bridge Jack / Easy-Roll Wheels	N/A	N/A	N/A	20	125
S175248	RJ6W	6,000 Lb. Capacity Rolling Bridge Jack / Easy-Roll Wheels	N/A	N/A	N/A	20	125
S175247	RJ4SW	4,500 Lb. Capacity Rolling Bridge Jack / Easy-Roll Wheels	N/A	N/A	N/A	20	125
S175579	RJ4SLP	4,500 Lb. Capacity Rolling Bridge Jack / Easy-Roll Wheels / LOW-PROFILE	N/A	N/A	N/A	20	125
SKU	BENDPAK SPECIALTY LIFTS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175424	SP-7XE	7,000 Lb. Capacity / Scissors / Frame Engaging / Independent Pads	208-240V, 50/60HZ, 1-Ph.	3	11	3	30/125
S175425	SP-7XEF	7,000 Lb. Capacity / Scissors / Frame Engaging / Flush Mount / Independent Pads	208-240V, 50/60HZ, 1-Ph.	3	11	3	30/125
S175611	EVS3000	3,000 Lb. Cap. / EV Battery Pack and Powertrain Lift Table / Rechargeable 12V / Incl.	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175613	EVS4500	4,500 Lb. Cap. / EV Battery Pack and Powertrain Lift Table / Rechargeable 12V / Incl.	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175291	PCL-188-2 LOW VOLTAGE	36,000 Lb. Cap. Mobile Lift System / 208-230/190V, 50-60HZ, 3-Ph. / SET OF 2	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175292	PCL-188-4 LOW VOLTAGE	72,000 Lb. Cap. Mobile Lift System / 208-230/190V, 50-60HZ, 3-Ph. / SET OF 4	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175293	PCL-188-6 LOW VOLTAGE	108,000 Lb. Cap. Mobile Lift System / 208-230/190V, 50-60HZ, 3-Ph. / SET OF 6	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175294	PCL-188-8 LOW VOLTAGE	144,000 Lb. Cap. Mobile Lift System / 208-230/190V, 50-60HZ, 3-Ph. / SET OF 8	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175295	PCL-188-2 HIGH VOLTAGE	36,000 Lb. Cap. Mobile Lift System / 460/380V, 50-60HZ, 3-Ph. / SET OF 2	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175296	PCL-188-4 HIGH VOLTAGE	72,000 Lb. Cap. Mobile Lift System / 460/380V, 50-60HZ, 3-Ph. / SET OF 4	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175297	PCL-188-6 HIGH VOLTAGE	108,000 Lb. Cap. Mobile Lift System / 460/380V, 50-60HZ, 3-Ph. / SET OF 6	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
S175298	PCL-188-8 HIGH VOLTAGE	144,000 Lb. Cap. Mobile Lift System / 460/380V, 50-60HZ, 3-Ph. / SET OF 8	208-230V, 460/190 /380V 50/60HZ, 1-Ph.	2	8	N/A	N/A
SKU	BENDPAK LOW-RISE/MID-RISE LIFTS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175232	LR-10000 / 208-230V	10,000 Lb. Capacity / Low-Rise Lift / Std. Voltage 220V, 50/60Hz, 1-Phase	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A
S175133	P9000LT / 208-230V	9,000 Lb. Capacity / Low-Rise Lift / Open-Center / Pit-Style / 208-230V, 60 Hz 1-Phase	208-240V, 50/60HZ, 1-Ph.	3	11	3	30/100
S175155	P9000LTF / 208-230V	9,000 Lb. Capacity / Low-Rise Lift / Open-Center Pit-Style / Flush Mount / 208-230V, 60 Hz	208-240V, 50/60HZ, 1-Ph.	3	11	3	30/100
S175226	MDS-6LFP / 208-230V	6,000 Lb. Capacity / Mid-Rise Scissors Lift / Open Center / 208-230V, 60 Hz 1-Phase	208-240V, 50/60HZ, 1-Ph.	3	11	10	50/100
S175227	MDS-6LFP / 208-230V	6,000 Lb. Cap. / Mid-Rise Scissors Lift / Open Center / FLUSH-MOUNT / 208-230V, 60 Hz 1-	208-240V, 50/60HZ, 1-Ph.	3	11	10	50/100
S175192	MDS-6EXT / 208-230V	6,000 Lb. Capacity / Mid-Rise Scissors Lift / Open Center / EXTENDED / 208-230V, 60 Hz 1-	208-240V, 50/60HZ, 1-Ph.	3	11	10	50/100
S175151	MDS-6EXF / 208-230V	6,000 Lb. Cap. / Mid-Rise Scissors Lift / Open Center-FLUSH-MOUNT / EXTENDED / 208-	208-240V, 50/60HZ, 1-Ph.	3	11	10	50/100
S175730	MD-6XP / 110V	6,000 Lb. Capacity / Mid-Rise / Frame Lift / Portable / Std. Power Unit 110V, 50/60Hz, 1-	110V, 50/60HZ, 1-Ph.	1.5	11	N/A	N/A
S175728	LR-60P / 110V	6,000 Lb. Capacity / Low-Rise Lift / Portable / Std. Power Unit 110V, 50/60Hz, 1-Phase	110V, 50/60HZ, 1-Ph.	1.5	11	N/A	N/A
S175729	LR-60 / 110V	6,000 Lb. Capacity / Low-Rise Lift / Std. Power Unit 110V, 50/60Hz, 1-Phase	110V, 50/60HZ, 1-Ph.	1.5	11	N/A	N/A
SKU	BENDPAK PARKING LIFTS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175547	PL-12000DP	12,000 Lb. Cap. Parking Lift / Tandem Independent Platforms / Ext. Rise - Long Platforms	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/100
S175552	PL-12000DPS	12,000 Lb. Cap. Parking Lift / Tandem Independent Platforms / Std. Rise - Short Platforms	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/100
S175238	HD-973P	9K & 7K Cap. / Tri-Level Parking Lift / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/125
S175266	HD-973P-G	9K & 7K Cap. / Tri-Level Parking Lift / Galvanized / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/125
S175267	HD-973PX	9K & 7K Cap. / Tri-Level Parking Lift / Extended / High Lift / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/125
S175268	HD-973PX-G	9K & 7K Cap. / Tri-Level Parking Lift / Extended / High Lift / Galvanized / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	3	11	3	75/125
S175154	PL-6KT	18,000 Lb. Cap. Parking Lift / Triple / Independent Platforms / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	4	15	N/A	N/A
S175427	PL6000DC	6,000 Lb. Capacity / Two-Post Parking Lift / Shared Columns / SPECIAL ORDER	208-240V, 50/60HZ, 1-Ph.	4	15	N/A	N/A
S175439	PL6000DC-ADD-ON	Shared Column Add-On Platform & Column Set / Incl. Power Unit / Fits PL6000DC /	208-240V, 50/60HZ, 1-Ph.	4	15	N/A	N/A
SKU	BENDPAK TUBING BENDERS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S115150	BB-2-DLX-601	Manual Bender With Deluxe 302 Tooling Package / 208-230V, 60 Hz 1-Phase	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S115180	1302BAS-DLX-601	Semi-Automatic Tubing Bender With Deluxe 302 Tooling Package / 208-230V, 60 Hz 1-	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S115121	1302BA-DLX-601	Digital-Automatic Tubing Bender With Deluxe 302 Tooling Package / 208-230V, 60 Hz 1-	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S115120	BB-2-MET-503	Manual Bender With Deluxe Metric Tooling Package / 208-460V, 50 Hz 3-Phase	208-460V, 50HZ, 3-Ph.	7.5	16/7	N/A	N/A
S115122	BB-2-MET-601	Manual Bender With Deluxe Metric Tooling Package / 208-230V, 60 Hz 1-Phase	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S115123	1302BAS-MET-503	Semi-Automatic Tubing Bender With Deluxe Metric Tooling Package / 208-460V, 50 Hz 3-	208-460V, 50HZ, 3-Ph.	7.5	16/7	N/A	N/A
S115124	1302BAS-MET-601	Semi-Automatic Tubing Bender With Deluxe Metric Tooling Package / 208-230V, 60 Hz 1-	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S115126	1302BA-MET-503	Digital-Automatic Tubing Bender With Deluxe Metric Tooling Package / 208-460V, 50 Hz 3-	208-460V, 50HZ, 3-Ph.	7.5	16/7	N/A	N/A
S115127	1302BA-MET-601	Digital-Automatic Tubing Bender With Deluxe Metric Tooling Package / 208-230V, 60 Hz 1-	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
SKU	BENDPAK AIR COMPRESSORS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S179111	T5P-580V-601	T5-5 Air Compressor / 5 HP / 80-Gal. Vert. Tank / 208-230V, 60 Hz 1-Ph. / PATRIOT CLASS	208-230V, 50/60HZ, 1-Ph.	5	19.5	N/A	N/A
S179112	VMP-7580V-601	V-Max Elite Air Compressor / 7.5 HP / 80-Gal. Vert. Tank / 208-230V, 60 Hz 1-Ph. /	208-230V, 50/60HZ, 1-Ph.	7.5	18	N/A	N/A
S179113	VMP-7580V-603	V-Max Elite Air Compressor / 7.5 HP / 80-Gal. Vert. Tank / 208-230V, 60 Hz 3-Ph. /	208-230V, 50/60HZ, 3-Ph.	7.5	18	N/A	N/A
S179114	VMP-10120V-603	V-Max Elite Air Compressor / 10 HP / 120-Gal. Vert. Tank / 208-230V, 60 Hz 3-Ph. /	208-230V, 50/60HZ, 3-Ph.	10	34	N/A	N/A
SKU	COOL BOSS EVAPORATIVE COOLERS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S150178	CB-36H	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 36" Dia.	208-230V, 50/60HZ, 1-Ph.	0.92	5.5	N/A	N/A
S150153	CB-36L	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 36" Dia.	110V 60HZ, 1-Ph.	0.92	11	N/A	N/A
S150177	CB-28H	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 28" Dia.	208-230V, 50/60HZ, 1-Ph.	0.85	5	N/A	N/A
S150152	CB-28L	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 28" Dia.	110V 60HZ, 1-Ph.	0.85	10	N/A	N/A
S150176	CB-16H	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 16" Dia.	208-230V, 50/60HZ, 1-Ph.	0.9	5	N/A	N/A
S150151	CB-16L	Evap Air Cooler / Negative Ion Air Purifier / LED Flood Light / Bluetooth Audio / 16" Dia.	110V 60HZ, 1-Ph.	0.9	10	N/A	N/A
S150037	CB-265SH	Evap Air Cooler / 26" Dia. Blades / 50 Gal. Tank / Swing Louvers / 7115 CFM / 208-230V, 50	208-230V, 50/60HZ, 1-Ph.	0.9	3	N/A	N/A
S150026	CB-265L	Evap Air Cooler / 26" Dia. Blades / 50 Gal. Tank / Swing Louvers / 7115 CFM / 110V, 60HZ,	110V 60HZ, 1-Ph.	0.9	6	N/A	N/A
S150031	CB-145SH	Evap Air Cooler / 14" Dia. Blades / 16 Gal. Tank / Swing Louvers / 2745 CFM / 208-230V, 50	208-230V, 50/60HZ, 1-Ph.	0.9	0.5	N/A	N/A
S150030	CB-145L	Evap Air Cooler / 14" Dia. Blades / 16 Gal. Tank / Swing Louvers / 2745 CFM / 110V, 60HZ,	110V 60HZ, 1-Ph.	0.9	1.0	N/A	N/A
S150017	CB-125SH	Evap Air Cooler / 12" Dia. Blades / 15 Gal. Tank / Swing Louvers / 1850 CFM / 208-230V, 50	208-230V, 50/60HZ, 1-Ph.	0.9	.5	N/A	N/A
S150018	CB-125L	Evap Air Cooler / 12" Dia. Blades / 15 Gal. Tank / Swing Louvers / 1850 CFM / 110V, 60HZ,	110V 60HZ, 1-Ph.	0.9	1	N/A	N/A
SKU	COOL BOSS INDUSTRIAL OVERHEAD FAN	INDUSTRIAL OVERHEAD FAN	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S150201	CB11HVLS	Industrial Overhead Fan / 11.5" Dia. / 4,200 m³ Per MIN Air Volume / 203-230V 50/60HZ	208-230V, 50/60HZ, 1-Ph.	1.5	5	N/A	N/A
S150202	CB16HVLS	Industrial Overhead Fan / 16.4" Dia. / 10,200 m³ Per MIN Air Volume / 203-230V 50/60HZ	208-230V, 50/60HZ, 1-Ph.	1.5	5	N/A	N/A
S150237	CB20HVLS	Industrial Overhead Fan / 20" Dia. / 12,700 m³ Per MIN Air Volume / 203-230V 50/60HZ	208-230V, 50/60HZ, 1-Ph.	2.5	11	N/A	N/A
S150238	CB24HVLS	Industrial Overhead Fan / 24" Dia. / 14,850 m³ Per MIN Air Volume / 203-230V 50/60HZ	208-230V, 50/60HZ, 1-Ph.	2.5	11	N/A	N/A
SKU	MAX JAX	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175548	M7X / 110V	7,000 Lb. Cap. Maxjax® Standard Package / 110V, 50-60HZ, 1-Ph. 23A	110V, 50/60HZ, 1-Ph.	1.5	11	N/A	N/A
SKU	QUICKJACK 110-VOLT MODELS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175010	BL-3500SLX-110V	3,500 Lb. Cap. Quickjack™ / 110V, 60HZ, 1PH	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
S175630	5000TL-110V	5,000 Lb. Cap. Quickjack™ / 110V, 60HZ, 1PH	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
S175635	5000TLX-110V	5,000 Lb. Cap. Quickjack™ / Extended / 110V, 60HZ	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
S175640	7000TL-110V	7,000 Lb. Cap. Quickjack™ / 110V, 60HZ	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
S175645	7000TLX-110V	7,000 Lb. Cap. Quickjack™ / Extended / 110V, 60HZ	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
S175650	6000ELX-110V	6,000 Lb. Cap. Quickjack™ / Super-Long / 110V, 60HZ	110V, 60HZ, 1-Ph.	1	10	N/A	N/A
SKU	QUICKJACK 220-VOLT MODELS	DESCRIPTION	VOLTAGE	MOTOR HP	OPERATING AMPS	AIR CFM REQ. MIN	AIR PSI REQ. MIN/MAX
S175012	BL-3500SLX-208-240V	3,500 Lb. Cap. Quickjack™ / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A

5175632	5000TL-208-240V	5,000 Lb. Cap. QuickJack™ / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A
5175637	5000TLX-208-240V	5,000 Lb. Cap. QuickJack™ / Extended / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A
5175642	7000TL-208-240V	7,000 Lb. Cap. QuickJack™ / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A
5175647	7000TLX-208-240V	7,000 Lb. Cap. QuickJack™ / Extended / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A
5175652	6000ELX-208-240V	6,000 Lb. Cap. QuickJack™ / Super-Long / 208-240V, 50/60 HZ, 1PH	208-240V, 50/60HZ, 1-Ph.	0.75	5	N/A	N/A
<b>SKU</b>	<b>RANGER TIRE CHANGERS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5140137	R26FLT, 220V, GR-YEL	Truck Tire Changer / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A
5140139	R80EX, 220V, GR-YEL	Tilt Back Tire Changer / Dual-Tower / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	15-25	140-165
5140140	R76ATR, 220V, GR-YEL	Tilt Back Tire Changer / Single-Tower / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	15-25	110-175
5140167	R76ATR-L, 110V, GR-YEL	Tilt Back Tire Changer / Single-Tower / 110V, 1-Ph., 50/60hz / GRAY-YELLOW	110V 50/60HZ, 1-Ph.	2	14	15-25	110-175
5140144	R76LT, 220V, GR-YEL	Tilt Back Tire Changer / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	15-25	110-175
5140146	R980XR, 220V, GR-YEL	Swing-Arm Tire Changer / Single-Tower / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	15-25	140-165
5140147	R980AT, 220V, GR-YEL	Swing-Arm Tire Changer W/Assist / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	15-25	140-165
5140168	R980AT-L, 110V, GR-YEL	Swing-Arm Tire Changer W/Assist / 110V, 1-Ph., 50/60hz / GRAY-YELLOW	110V 50/60HZ, 1-Ph.	2	14	15-25	140-165
5140148	R745, 110V, GR-YEL	Swing Arm Tire Changer / 110-240V, 1-Ph., 50/60hz / GRAY-YELLOW	110-220V, 50/60HZ, 1-Ph.	2	14/7	15-25	140-165
<b>SKU</b>	<b>RANGER WHEEL BALANCERS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5140149	RB24T, 220V, GR-YEL	Truck Wheel Balancer With Deluxe Adapter Kit / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	3	11	N/A	N/A
5140151	L543B, 220V, GR-YEL	Laser-Spot Wheel Balancer / 208-240V, 1-Ph., 50/60hz / GRAY-YELLOW	208-240V, 50/60HZ, 1-Ph.	1.5	8	N/A	N/A
5140154	D5T30P, 110-220V, GR-YEL	Wheel Balancer / 110-240V, 1-Ph., 50/60hz / GRAY-YELLOW	110-220V, 50/60HZ, 1-Ph.	1.5	15/8	N/A	N/A
5140156	D5T240, 110-220V, GR-YEL	Wheel Balancer / 110-240V, 1-Ph., 50/60hz / GRAY-YELLOW	110-220V, 50/60HZ, 1-Ph.	1.5	15/8	N/A	N/A
<b>SKU</b>	<b>RANGER BRAKE LATHES</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5150066	RL-8500	Combination Disc/Drum Brake Lathe w/Bench & Std Tooling	110-220V 50/60HZ 1PH	1	10/5	N/A	N/A
5150080	RL-8500XLT	Combination Disc/Drum Brake Lathe w/Bench & Std Tooling / Super-Duty	110-220V 50/60HZ 1PH	1	10/5	N/A	N/A
<b>SKU</b>	<b>RANGER WASH CABINETS</b>	<b>DESCRIPTION</b>	<b>VOLTAGE</b>	<b>MOTOR HP</b>	<b>OPERATING AMPS</b>	<b>AIR CFM REQ. MIN</b>	<b>AIR PSI REQ. MIN/MAX</b>
5155117	RS-5000-601	Spray Wash Cabinet / Dual-Heaters / Low-Water Shutoff / 208-230V, 1-Phase, 60hz	208-240V, 60HZ, 1-Ph.	1	50	N/A	N/A
5155118	RS-7500-601	Spray Wash Cabinet / HD Truck Dual-Heaters / Low-Water Shutoff / 208-230V, 1-Phase.	208-240V, 60HZ, 1-Ph.	1	50	N/A	N/A
5155112	RS-5000-503	Spray Wash Cabinet / Dual-Heaters / Low-Water Shutoff / 380-415V, 3-Phase, 50hz	380-415V, 50HZ, 3-Ph.	1	32	N/A	N/A
5155113	RS-7500-503	Spray Wash Cabinet / HD Truck Dual-Heaters / Low-Water Shutoff / 380-415V, 3-Phase.	380-415V, 50HZ, 3-Ph.	1	32	N/A	N/A
5155051	RS-5000S-601	Stainless Steel Spray Wash Cabinet / Dual-Heaters / Low-Water Shutoff / 208-230V, 1-	220V, 60HZ, 1-Ph.	1	50	N/A	N/A
5155052	RS-7500S-601	Stainless Steel Spray Wash Cabinet / HD Truck Dual-Heaters / Low-Water Shutoff / 208-	220V, 60HZ, 1-Ph.	1	50	N/A	N/A
5155053	RS-5000S-503	Stainless Steel Spray Wash Cabinet / Dual-Heaters / Low-Water Shutoff / 380-415V, 3-	380-415V, 50HZ, 3-Ph.	1	32	N/A	N/A
5155054	RS-7500S-503	Stainless Steel Spray Wash Cabinet / HD Truck Dual-Heaters / Low-Water Shutoff / 380-	380-415V, 50HZ, 3-Ph.	1	32	N/A	N/A