



INTRODUCING OUR SERIES II LS VALVE COVERS

PSC has developed the most unique custom valve cover for the LS engine on the market...period. But, we didn't stop there. We leave it up to your imagination on how you want to finish them.

Since so many people have different tastes, we are making these available in bare 319 cast aluminum. We let your creativity take it from there. Do you have a painted engine bay and want to match colors? With these you can DO IT. Powder coat, paint, clear coat or leave them bare.



**DRESS
your
LS**



Vents are bare 5200 aluminum with a brushed finish. But why leave them that way? Polish, candy coat, anodize, or just use them as a template to make your own version. These will truly make your engine bay the talk of the show, and 'Dress your LS.'

All bases are the same. Cast in 319 aluminum and machined for a stock valve cover gasket (Fel-Pro VS50504R). They also have positive internal mount posts, just like the originals, to ensure proper gasket crush at installed torque. They accept either stock LS Gen 1 or Gen 5 coil packs (AC-Delco 12558948 & 12573190).



Our new lid can also be flipped 180° on the base, allowing the fins to be at the top or the bottom. This changes the position of the vents and is another way to personalize your build.






STEP 1 PICK YOUR LID

Choose from a milled opening vent (PSC-2500), side vent (PSC-2200), one window (PSC-2300), or two window vented lid (PSC-2400).



PSC-2500

MILLED SLOTS LID




PSC-2200

SIDE VENT LID




PSC-2200 (vent detail)

**DRESS
your
LS**



PSC-2300

ONE WINDOW VENT LID




PSC-2400

TWO WINDOW VENT LID



STEP 2 CHOOSE YOUR SCREEN



SIDE SCREENS (FIT PSC 2200)

-2200



-2202



-2201



-2203



TWO WINDOW SCREENS (FIT PSC 2400)



-2426



-2413



-2425



-2412



-2424



-2428



-2427



-2429



ONE WINDOW SCREENS (FIT PSC 2300)



-2314



-2313



-2312



-2333



-2327



-2330



-2329



-2332



-2331



-2328



-2325



• All "LS6" screens shown are also available in: LS1, LS2, LS3, LS4, LS6, LS7, LS9, LSA.



INSTRUCTIONS AND IMPORTANT INFORMATION

Our valve covers are unique and made for custom applications. With that being said, you will probably run into things that will need to be re-routed or changed, in order to make them work with your specific application.

Here are some of the things we have found while developing these valve covers that you should keep in mind before ordering and during installation.

Please be sure to check possible width and height obstructions prior to placing your order.



- Valve cover is 3/16" longer than the head on both ends.



- We recommend Fel-Pro VS50504R Valve Cover Gasket to ensure proper torque and gasket crush with our positive mount stops.

- Hole in base is to accommodate coil pack wiring. Weather pack connector is made to fit inside the cover, with the tail going through the hole. (wiring grommet supplied).



Accepts either stock LS Gen 1 & Gen 5 coil packs (AC-Delco 12558948 & 12573190).

