

INSTRUCTIONS

© 2019, Speedway Motors, Inc.

SPEEDWAY
motors®

910-97710

GPS Speedometer Sending Unit

With basic GPS technology and easy installation, the QS1 is the answer to a simple electric speedometer.

You no longer have to worry about complex calculations, messy gear changes in the speedometer cable housing of the transmission or just accepting a speedometer reading that is just close to accurate.

Leave the switches or pots as the gauge manufacture recommends for default settings, and you will not have to study the chart to make changes to get calibrated.

Installs under glass, leather, cloth, fiberglass, plastic or interior foam panels without effecting performance. Do not install behind or under metal. Do not install behind or under other alloy materials (this would impact QS1's ability to lock to satellite).

DIMENSIONS:

Height: 7/8"

Length: 3"

Width: 1½"

4' Lead cable included (cable can be extended if mounting location requires)

FEATURES:

EASY TO INSTALL

SIMPLE MOUNTING

ONE OF THE SMALLEST SELF CONTAINED UNITS

VERY SIMPLE 4 WIRE HOOK UP

INSTALLS BEHIND MOST INTERIOR PANELS

WATER RESISTENT

LOWER COST THAN OTHER UNITS

INSTRUCTIONS

© 2019, Speedway Motors, Inc.



910-97710

GPS Speedometer Sending Unit

WIRING

All of these connections can be made directly to the rear of your electric speedometer

NOTE: Do not bundle QS-1 wire lead to other harnesses or wiring looms, it is a best practice to have this cable follow its own path separate from other wiring.

Red= positive ignition source (Do not wire to a constant power source)

Black= ground (best to ground in same series or location as speedo)

White= signal to speedo (do not bundle the signal wire with other harnesses or looms)

Green= pulse selection wire (this wire must be hooked up for unit to operate)

1. Green wire connected to ground will create 8K ppm signal
2. Green wire connected to ignition positive will create 16K ppm signal (Do not connect to a constant positive source, switched/ignition positive power source only)

Popular speedo pulse rates

<u>16K ppm</u>	<u>8K ppm</u>	<u>Measured Mile</u>
Classic	Haneline 3n1	Omega Kustom
Auto Meter	Haneline 5n1	Vintage
Dakota	pre 19—Classic	TPI
Haneline Elite	pre 19—Beede	Dolphin
Veethree		
Teleflex		
Beede		

INSTRUCTIONS

© 2019, Speedway Motors, Inc.

SPEEDWAY
motors®

910-97710

GPS Speedometer Sending Unit

Instructions

NOTE: Always disconnect battery to vehicle while working on anything electrical.

Determine the signal your gauge operates off of (8k ppm or 16k ppm) by consulting the manufacture or from the instructions provided with your speedometer. We have listed several popular units to help aid in your install.

Application #1 One touch or measured mile programmable speedometers will operate off either signal in most cases. Once gauge is wired to QSI GPS, you will still need to complete the measured mile programming per the speedometer manufacturer's instructions. Finishing up by programming your speedometer is so the unit knows what signal is expected/sent by the QSI. If a small adjustment is desired the program process will need to be repeated, if this is a need you should check the mile markers used for accurate distance. Incorrect distance during programming is the main thing that will impact speedometers ability to perform accurately. It will be a very rare case that you need to make changes.

Application #2 Dip switch programmable speedometer will require the speedometer to be set at manufactures default setting, refer to the speedometer instructions for this setting. Once you have set the dip switches we recommend test driving the vehicle to confirm operation before final install of the gauge. If a small adjustment is desired the dip switch chart provided by the speedometer manufacture is the only way to change calibration. It will be a very rare case that you would need to make changes.

Troubleshooting

The speedo is reading half the true speed-

-Change the polarity of the green selection wire

The speedo is reading double the true speed-

-Change polarity of the green selection wire

No speedometer operation-

1. Confirm positive and negative connections
2. Confirm green selection wire is connected (follow install for correct polarity)

IMPORTANT

DISCLAIMER In an effort to offer our customers low prices, quick service and great value, Speedway Motors reserves the right to change suppliers, specifications, colors, prices, materials without notice. Prices and policies that were current and in effect at the time of printing are also subject to change without notice. Quantities are limited on some items. Any unauthorized use of this catalog including words, photos or drawings is prohibited. Speedway is not responsible for any typographical errors, printing errors or misinterpretations

WARRANTY DISCLAIMER Purchasers understand and recognize that racing parts, specialized street rod equipment, and all other parts and services sold by Speedway Motors, Inc. are exposed to many and varied conditions due to the manner in which they are installed and used. Except for certain limited warranties, if any, set forth in Speedway Motors, Inc.'s current catalog with respect to the products and/or parts thereof identified on your invoice, each product, and each part thereof, is sold "as is", and "with all faults" and Speedway Motors, Inc. makes no warranties either expressed or implied, written or oral, with regard such products and services including, without limitation, any warranty of merchantability or fitness for a particular purpose. Without limiting the foregoing, there is no warranty expressed or implied as to whether the goods sold hereby will protect purchasers or ultimate end-users of such products and parts from injury or death. In no event shall Speedway Motors, Inc. be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products and each part thereof. Purchasers acknowledge and agree that no person, entity or agent of Speedway Motors, Inc. has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of Speedway Motors, Inc. by any such person, entity or agent are void. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto. Some local laws prohibit the use of utility jugs, funnels and barrel pumps for dispensing fuel. Please check your own state for more information, regulations or further direction in your use of the utility jugs, funnels and barrel pump described in Speedway's catalogs or on Speedway Motors websites. Some parts in this catalog are not legal for sale or use in California. Items sold in this catalog are for racing vehicles which may never be used on a highway. The use of manufacturer's names and symbols are for reference purposes only.

DAMAGE CLAIMS Please inspect all packages upon delivery and in the presence of the delivery driver when possible. The driver must note any visible damage and provide procedures for handling damage claims. To allow for a claims process, please retain original box, packing material and damaged merchandise. Contact Speedway Motors for instructions regarding damage claim within 5 days of receipt. Speedway Motors assumes no liability after this period.

SHORTAGES Please check the contents of your delivery to ensure that all parts ordered are received. Refer to your invoice to cross check all items received and inspect all packing materials for contents of small items. Retain original shipping box and packing materials. Orders may be split into multiple boxes which can be delivered on different days. Contact Speedway Motors for instructions regarding shortage claim within 5 days of receipt. Speedway Motors assumes no liability after this 5 day period.

REFUSALS All refused packages will be billed the freight to and from the destination and refused COD orders will be billed a 15% restocking charge plus freight to and from destination.

WARRANTY CLAIMS If the item is used or installed and a warranty claim request is submitted, warranty work is done by the manufacturer and may take up to 30 days for processing. Speedway Motors will be required to follow the manufacturer's warranty instructions to allow for a credit refund or exchange when specified.

Find the above info on our website:

SpeedwayMotors.com/Info/FAQ

RETURNS We want you to be satisfied with your purchase. If you are not satisfied, you may return your new, unused item within 60 days for refund or exchange.

All exchanged or returned merchandise must be in original factory condition with no modifications or alterations. Returned merchandise must include original packaging materials, warranty cards, manuals, instructions, etc. If the returned item requires repackaging, your refund / exchange will be subject to a repackaging charge. Return/Exchange transactions less than \$99 are excluded from the free shipping offer.

HOW TO RETURN AN ITEM Please re-pack the item in a sturdy box, include a copy of your invoice and completed return form. Returns must be shipped prepaid. CODs are not accepted. Shipping costs for exchanged merchandise will be charged to your credit card.

Items that are returned after 60 days are subject to a 15% restocking charges. Fiberglass items returned will be subject to a 15% restocking charge. We are unable to accept returns on electrical parts, video tapes, DVD's, books, special order or closeout merchandise.

BRAKE INSTALLATION ALERT The selection and installation of brake components should only be done by personnel experienced in the proper installation and operation of braking systems. The installer must use his/her own discretion to determine the suitability of all brake components and brake kits for every particular application. Speedway Motors, Inc. makes no warranties either expressed or implied including any warranty of merchantability or fitness for a particular purpose, other than those contained in its current catalog or website with respect to the goods identified on the face of the invoice. There is no warranty expressed or implied as to whether the goods sold hereby will protect the purchaser or ultimate user of such goods from injury or death.

EXHAUST INSTALLATION ALERT Exhaust systems and other component surface finishes are not permanent. Coatings, paint and other factory supplied cosmetic treatments are only intended to protect from surface corrosion in an unused state. No returns are allowed after the parts have been installed. Header flanges must be clean and clear of paint and surface contaminants prior to mating to exhaust gaskets. Exhaust fasteners must be re-torqued after the initial heat cycle and regularly thereafter to ensure a proper gasket seal is maintained. Should you decide to install this exhaust product at your home, be warned that pleasure car or light duty truck/van "bumper" jacks are intended for emergency use only. The use of frame contact jack stands in conjunction with a floor jack as a main support is highly recommended to minimize accidental dropping of a vehicle while the installation proceeds. We recommend the use of a shop hoist if possible. Please use caution! Speedway Motors, Inc. makes no warranties either expressed or implied including any warranty of merchantability or fitness for a particular purpose, other than those contain in its current catalog or website with respect to the goods identified on the face of the invoice. There is no warranty expressed or implied as to whether the goods sold hereby will protect the purchaser or ultimate user of such goods from injury or death.

CHECK LOCAL LAW Some parts are not legal for sale or use in California on any pollution controlled motor vehicles. These items are legal in California for racing vehicles only which may never be used upon a highway. Check local law.

© 2019, Speedway Motors, Inc.

Speedway Motors, Inc.

P.O. Box 81906 • Lincoln, NE 68501

800.979.0122 • SpeedwayMotors.com

